

acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

POROCLEAN

Version number: 7.0 Replaces version of: 2017-05-29 (6) Revision: 2024-05-24

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Professional use Organic solvents

products@polychromal.nl

POROCLEAN

1.3 Details of the supplier of the safety data sheet

POLYCHROMAL B.V. PO Box: 8043 1802 KA Alkmaar

Telephone: +31 72 5670799 Telefax: +31 72 5624095 e-mail: products@polychromal.nl Website: www.polychromal.com

e-mail (competent person)

1.4 Emergency telephone number

Emergency information service

+31 72 5670799 This number is only available during the following office hours: Mon-Fri 08:00 - 17:00

Poison centre		
Country	Name	Telephone
United Kingdom	National Poisons Information Service (NPIS)	0344-8920111 (medical profes- sionals only)
United Kingdom	NHS (general public)	non-emergency: 111 or a doctor; emergency: 999

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (acc. to GB CLP)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
2.6	flammable liquid	3	Flam. Liq. 3	H226
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336

For full text of H-phrases: see SECTION 16

The most important adverse physicochemical, human health and environmental effects The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling (acc. to GB CLP)

- signal word Warning



acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

POROCLEAN

Revision: 2024-05-24

Version number: 7.0 Replaces version of: 2017-05-29 (6)

- pictograms

GHS02, GHS07



- hazard statements	
H226	Flammable liquid and vapour.
H336	May cause drowsiness or dizziness.

- precautionary statements	s
----------------------------	---

productionary otation to	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P312	Call a POISON CENTRE/doctor if you feel unwell.
P370+P378	In case of fire: Use sand, carbon dioxide or powder extinguisher to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	1-methoxy-2-propanol
Identifiers	
CAS No	107-98-2
EC No	203-539-1
Index No (GB CLP)	603-064-00-3
Purity	≥98

Impurities, additives and ingredients

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
2-methoxypropanol	CAS No 1589-47-5 EC No 216-455-5 Index No 603-106-00- 0	0.1-<0.3	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Repr. 1B / H360D STOT SE 3 / H335		
Molecular formula			C4H10O2		

Molar mass

90.12 ^g/_{mol}



acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

POROCLEAN

Revision: 2024-05-24

Version number: 7.0 Replaces version of: 2017-05-29 (6)

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a POISON CENTER or doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray; Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO2); Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

During fire hazardous fumes/smoke could be produced. Carbon monoxide (CO). Carbon dioxide (CO2).

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

POROCLEAN

Revision: 2024-05-24

Version number: 7.0 Replaces version of: 2017-05-29 (6)

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight.

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

- ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

POROCLEAN

Revision: 2024-05-24

Version number: 7.0 Replaces version of: 2017-05-29 (6)

- packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 1.2.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occup	Occupational exposure limit values (Workplace Exposure Limits)								
Cou ntry	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m ³]	Nota- tion	Source
GB	1-methoxypropan-2-ol	107-98-2	WEL	100	375	150	560	Н	EH40/2005

Notation

H absorbed through the skin STEL short-term exposure limit: a limit value above which exposure

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs	Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
DNEL	369 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects			
DNEL	553.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects			
DNEL	553.5 mg/m ³	human, inhalatory	worker (industry)	acute - local effects			
DNEL	183 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			
DNEL	43.9 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects			
DNEL	78 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects			
DNEL	33 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects			

Relevant PNECs and other threshold levels							
Endpoint	Threshold level	Organism	Environmental compart- ment	Exposure time			
PNEC	10 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)			
PNEC	1 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)			
PNEC	100 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			
PNEC	52.3 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)			
PNEC	5.2 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)			
PNEC	4.59 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)			



acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

POROCLEAN

Revision: 2024-05-24

Version number: 7.0 Replaces version of: 2017-05-29 (6)

8.2 Exposure controls

Appropriate engineering controls

General ventilation. Provide eyewash stations and safety showers at the workplace.

Individual protection measures (personal protective equipment)

Eye/face protection

Use safety goggle with side protection

Skin protection

Chemical protective clothing.

Hand protection

Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on other quality characteristics and varies from manufacturer to manufacturer.

- type of material

PVC: polyvinyl chloride, NBR: acrylonitrile-butadiene rubber, Nitrile rubber, NP: neoprene

- material thickness

Use gloves with a minimum material thickness: ≥ 0.38 mm.

- breakthrough time of the glove material

Use gloves with a minimum breakthrough time of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown). Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Odour threshold	36.86 ^{mg} / _{m³}
Melting point/freezing point	-96 °C at 101,325 Pa
Boiling point or initial boiling point and boiling range	120.2 °C at 101,325 Pa
Evaporation rate	0.7 (n-butyl acetate = 1)
Flammability	flammable liquid in accordance with GHS criteria







acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

POROCLEAN

Revision: 2024-05-24

Version number: 7.0 Replaces version of: 2017-05-29 (6)

Lower and upper explosion limit	LEL: 1.48 vol% / UEL: 13.74 vol%
Flash point	31.1 °C at 101.3 hPa
Auto-ignition temperature	287 °C at 101.3 hPa (auto-ignition temperature (liquids and gases))
Decomposition temperature	no data available
pH (value)	≥4-≤7
Kinematic viscosity	1.848 ^{mm²} / _s at 25 °C

Solubility

Water solubility	>1,000,000 ^{mg} / _I at 20 °C
------------------	--------------------------------------------------

Partition coefficient n-octanol/water (log value)	<1 (pH value: 6.8, 20 °C)
---------------------------------------------------	---------------------------

Vapour pressure	11.7 mmHg at 25 °C
-----------------	--------------------

Density and/or relative density

Density	0.92 ^g / _{cm³} at 25 °C
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	
Miscibility	Completely miscible with water.

70.7 ^{mN}/_m (20 °C)

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated:

Risk of ignition.

Surface tension

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

POROCLEAN

Revision: 2024-05-24

Version number: 7.0 Replaces version of: 2017-05-29 (6)

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidisers.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity			
Exposure route	Endpoint	Value	Species
oral	LD50	4,277 ^{mg} / _{kg}	rat
dermal	LD50	>2,000 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

POROCLEAN

Version number: 7.0 Replaces version of: 2017-05-29 (6) Revision: 2024-05-24

Aquatic toxicity (acute)			
Endpoint	Value	Species	Exposure time
LC50	<10,000 ^{mg} / _l	fish	96 h

Aquatic toxicity (chronic)

· · · ·			
Endpoint	Value	Species	Exposure time
ErC50	>1,000 ^{mg} / _l	algae	7 d

12.2 Persistence and degradability

Biodegradation

The substance is readily biodegradable.

Process of degradability		
Process	Degradation rate	Time
DOC removal	96 %	28 d

12.3 Bioaccumulative potential

n-octanol/water (log KOW)	<1 (pH value: 6.8, 20 °C)
---------------------------	---------------------------

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Information on this property is not available.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

POROCLEAN

Version number: 7.0 Replaces version of: 2017-05-29 (6) Revision: 2024-05-24

SECTION 14: Transport information

14.1	UN number	
	ADR/RID	UN 3092
	IMDG-Code	UN 3092
	ICAO-TI	UN 3092
14.2	UN proper shipping name	
	ADR/RID	1-METHOXY-2-PROPANOL
	IMDG-Code	1-METHOXY-2-PROPANOL
	ICAO-TI	1-Methoxy-2-propanol
14.3	Transport hazard class(es)	
	ADR/RID	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	ADR/RID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments No data available.

Additional information for each of the UN Model Regulations Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - additional information

Classification code Danger label(s)	F1 3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	D/E
Hazard identification No	30
Emergency Action Code	2Y



acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

POROCLEAN

Version number: 7.0 Replaces version of: 2017-05-29 (6)

Regulations concerning the International Carriag information	e of Dangerous Goods by Rail (RID) - additional
Classification code	F1
Danger label(s)	3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	30
International Maritime Dangerous Goods Code (I	MDG) - additional information
Marine pollutant	-
Danger label(s)	3
*	
Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	A
International Civil Aviation Organization (ICAO-IA	TA/DGR) - additional information
Danger label(s)	3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU) Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	ies Qualifying quantity (tonnes) for the applica- tion of lower and upper-tier requirements		Notes
P5c	flammable liquids (cat. 2, 3)	5,000	50,000	51)

Notation

51) flammable liquids, categories 2 or 3 not covered by P5a and P5b

Revision: 2024-05-24



acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

POROCLEAN

Version number: 7.0 Replaces version of: 2017-05-29 (6) Revision: 2024-05-24

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Not listed.

Water Framework Directive (WFD)

Not listed.

Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors, amending Regulation (EC) No 1907/2006 and repealing Regulation (EU) No 98/2013

Not listed.

Regulation on persistent organic pollutants (POP)

Not listed.

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list Not listed.

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name	Name acc. to inventory	Conditions of re- striction	No
1-methoxy-2-propanol	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC	R3	3
1-methoxy-2-propanol	flammable / pyrophoric	R40	40

Legend

R3

- 1. Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtravs.
 - tricks and lokes.
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects.
 - 2. Articles not complying with paragraph 1 shall not be placed on the market.
 - 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,
 - 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the British Standard Specification on Decorative oil lamps (BS EN 14059) adopted by the British Standards Institute.

5. Without prejudice to the implementation of other legislation relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows:

- Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010 'Just a sip of lamp oil
- or even sucking the wick of lamps

may lead to life-threatening lung damage';
(b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as

follows: 'Just a sip of grill lighter may lead to life-threatening lung damage';

(c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

 Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the Agency.

R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
 - metallic glitter intended mainly for decoration,
 - artificial snow and frost,
 - 'whoopee' cushions,
 - silly string aerosols, imitation excrement,
 - horns for parties,
 - decorative flakes and foams,
 - artificial cobwebs.
 - stink bombs

2. Without prejudice to the application of other legislation on the classification, packaging and labelling of substances, suppliers shall



acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

POROCLEAN

Revision: 2024-05-24

Version number: 7.0 Replaces version of: 2017-05-29 (6)

Legend

ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive

 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated. (***) OJ L 147, 9.6.1975, p. 40.

15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the In- ternational Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008



acc. to Regulation (EC) No. 1907/2006 (REACH)

Transition document following GB exit from the EU

POROCLEAN

Version number: 7.0 Replaces version of: 2017-05-29 (6) Revision: 2024-05-24

Abbr.	Descriptions of used abbreviations
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a spe- cified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended). GB mandatory classification and labelling.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H360D	May damage the unborn child.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.